## In the Claims

- 1-10. (Canceled)
- 11. (Currently amended) An implantable device comprising a coating, which comprises a polymeric composition comprising a <u>block copolymer comprising a polysulfone</u> (A) and an elastomeric polymer (B), wherein the polysulfone and the elastomeric polymer form a conjugate by direct chemical bonding, and

wherein the elastomeric polymer is selected from the group consisting of polyisobutylene, polyperfluoroalkylene, polyhexafluoropentene, natural rubber, nylon, poly(butyl methacrylate), poly(lauryl methacrylate), polyalkylene oxide, polyalkylene oxide acrylate, and a combination thereof.

- 12. (Previously presented) The implantable device of claim 11, wherein the device is a stent.
- 13. (Previously presented) The implantable device of claim 12, wherein the coating further comprises a bioactive agent.
- 14. (Previously presented) The implantable device of claim 13 wherein the bioactive agent is selected from the group consisting of tacrolimus, dexamethasone, rapamycin, Everolimus, 40-O-(3-hydroxy)propyl-rapamycin, 40-O-[2-(2-hydroxy)ethoxy]ethyl-rapamycin, and 40-O-tetrazole-rapamycin, paclitaxel, taxoids, estradiol, steroidal anti-inflammatory agents, antibiotics, nitric oxide donors, super oxide dismutases, super oxide dismutase mimics, 4-amino-2,2,6,6-tetramethylpiperidine-1-oxyl (4-amino-TEMPO), and a combination thereof.
  - 15-30. (Canceled)
  - 31. (Canceled)
  - 32. (Currently amended) The implantable device of claim 11, wherein the elastomeric

polymer is selected from the group consisting of polyisobutylene, polyperfluoroalkylene, polyhexafluoropentene, poly(butyl methacrylate), poly(lauryl methacrylate), <del>polyalkylene oxide, polyalkylene oxide acrylate, and a combination thereof.</del>

- 33. (Canceled)
- 34. (Currently amended) The implantable device of claim 11, wherein the eonjugate comprises a copolymer that the block copolymer comprises at least one block of a polysulfone polymer (A) and at least one block of an elastomeric polymer (B) in a general formula selected from AB, ABA or BAB.
- 35. (Previously presented) An implantable device comprising a coating, which comprises a polymeric composition comprising a polysulfone (A) and an elastomeric polymer (B), wherein the polysulfone and the elastomeric polymer form a conjugate comprising a block copolymer, wherein the block copolymer is selected from the group consisting of

$$= \begin{cases} R_3 \\ SO_2 \end{cases} = \begin{cases} R_3 \\ CO_m \\ CO_m \end{cases} = \begin{cases} R_3 \\ SO_2 \end{cases} = \begin{cases} R_3 \\ CH_2 \cdot C \\ R_4 \end{cases} = \begin{cases} R_3 \\ CH_2 \cdot C \\ CH_2 \cdot C \\ R_4 \end{cases} = \begin{cases} R_3 \\ CH_2 \cdot C \\ C$$

wherein R<sub>1</sub> is selected from the group consisting of C1 to C10 alkyl, C2, C4 and C6 hydroxyalkyl, C1 to C6 fluoroalkyl, phenyl, substituted phenyl, polyethylene glycol, polyalkylene oxide, ethylene oxide and propylene oxide;

wherein R<sub>2</sub>, R<sub>4</sub>, R<sub>5</sub>, R<sub>7</sub> and R<sub>8</sub> are independently selected from the group consisting of hydrogen, C1 to C6 alkyl, C2, C4 and C6 hydroxyalkyl, C1 to C6 fluoroalkyl, phenyl, substituted phenyl, carboxyl, amido, ester groups bearing a polyethylene glycol, and

polyalkylene oxide;

wherein R<sub>3</sub> is selected from the group consisting of hydrogen, alkyl, cycloalkyl, phenyl, carboxyl, halo, amino, hydroxyl, amido, sulfido, and polyalkylene oxide;

wherein R<sub>6</sub> is a perfluoroalkyl group;

wherein R<sub>4</sub>, R<sub>5</sub>, and R<sub>6</sub> are selected such that the

$$\begin{bmatrix}
F_2 & F \\
C & C
\end{bmatrix}_{m \text{ are elastomeric: and}}$$

wherein n and m are independently positive integers.

36. (Previously presented) The implantable device of claim 35, wherein  $R_1$  is butyl, isobutyl or isopropyl;

wherein R<sub>2</sub> is hydrogen or methyl;

wherein R<sub>3</sub> is hydrogen, halo, or methyl;

wherein R<sub>4</sub> and R<sub>5</sub> are independently hydrogen, methyl, ethyl, isopropyl, butyl, isobutyl, or phenyl;

wherein  $R_6$  is  $CF_2CF_3$ ,  $CF_2CF_2CF_3$ , perfluoroisopropyl, perfluorobutyl or perfluoroisobutyl; and

wherein  $R_7$  and  $R_8$  are independently methyl, ethyl, propyl, isopropyl, butyl, or isobutyl group.

37. (Previously presented) The implantable device of claim 35, wherein  $R_1$  is butyl; wherein  $R_2$  is methyl;

wherein R<sub>3</sub> is hydrogen;

wherein  $R_4$  or  $R_5$  are methyl groups; and wherein  $R_7$  and  $R_8$  are methyl groups.

- 38. (Canceled)
- 39. (Canceled)